



The figure displays five technical drawings of window and door profiles, labeled TIPO 01 through TIPO 05. Each drawing includes dimensions in millimeters and labels for various components.

- TIPO 01 - JANELA COM VERGA E CONTRAVERGA**: Shows a window profile with a top rail (VERGA) and a bottom rail (CONTRAVERGA). The height is 252,6 mm. The width is 300 mm, with a variable section (VARIÁVEL) of 30 mm. The top rail has a height of 14 mm, and the bottom rail has a height of 10 mm. The total height of the frame is 57 mm.
- TIPO 02 - GUICHÊ COM VERGA E CONTRAVERGA**: Shows a window profile with a top rail (VERGA) and a bottom rail (CONTRAVERGA). The height is 252,6 mm. The width is 300 mm, with a variable section (VARIÁVEL) of 30 mm. The top rail has a height of 14 mm, and the bottom rail has a height of 10 mm. The total height of the frame is 57 mm.
- TIPO 03 - PORTA SOB JANELA COM VERGA**: Shows a door profile with a top rail (VERGA) and a bottom rail (CONTRAVERGA). The height is 252,6 mm. The width is 300 mm, with a variable section (VARIÁVEL) of 30 mm. The top rail has a height of 14 mm, and the bottom rail has a height of 10 mm. The total height of the frame is 57 mm.
- TIPO 04 - JANELA COM CONTRAVERGA E VIGA COMO VERGA**: Shows a window profile with a top rail (VERGA) and a bottom rail (CONTRAVERGA). The height is 252,6 mm. The width is 300 mm, with a variable section (VARIÁVEL) of 30 mm. The top rail has a height of 14 mm, and the bottom rail has a height of 10 mm. The total height of the frame is 57 mm.
- TIPO 05 - PORTA COM VERGA**: Shows a door profile with a top rail (VERGA) and a bottom rail (CONTRAVERGA). The height is 252,6 mm. The width is 300 mm, with a variable section (VARIÁVEL) of 30 mm. The top rail has a height of 14 mm, and the bottom rail has a height of 10 mm. The total height of the frame is 57 mm.

NOTAS:

1. PREVER 2,5cm DE FOLGA ENTRE ESQUADRIA E VERGA/CONTRAVERGA PARA ACABAMENTO.
2. NAS PROXIMIDADES DE PILARES, AS VERGAS/CONTRAVERGAS PODEM FAZER ENGASTAMENTO LATERAL DIRETO NO PILAR SEM SEGUIR OS 30cm RECOMENDADOS.

Detalhe de tipos de Vergas e Contravergas
ESC.: 1:25


CONSÓRCIO SAÚDE
 CONSÓRCIO SAÚDE CONCREMAT-MEP - CNPJ 60.255.454/0001-35
 RUA JOAQUIM PALMARES, Nº 40, ANDAR 5 - RIO DE JANEIRO RJ - CEP 20.260-080 - FONE (21) 3535-4131
 Medidas em centímetros. Conferir medidas no local.
 O valor da cota prevalece ao da escala. Antes de qualquer alteração consultar o arquiteto responsável.

REV	DATA	CONTEÚDO	REV	DATA	CONTEÚDO
R00	30/07/2025	EMIÇÃO INICIAL	R03	22/09/2025	REVISÃO
R01	26/08/2025	REVISÃO	R04	25/09/2025	REVISÃO
R02	17/09/2025	REVISÃO	R05	08/10/2025	REVISÃO

TÍTULO DA PROPOSTA: PROJETO ARQUITETÔNICO		FRANCHA:		ESCALA:	
DETALHE DE VERGAS E CONTRAVERGAS		15/15		INDICADA	
TIPO DA EDIFICAÇÃO: EDIFICAÇÃO ASSISTENCIAL DE SAÚDE (IAS)		ZONAMENTO:		COEF. DE APROV.:	
CONSTRUÇÃO DE: UNIDADE BÁSICA DE SAÚDE INDÍGENA (UBSI) - TIPO 01		-		0,2	
LOCAL DA OBRA:		DATA DO PROJETO:		TAXA DE OCUPAÇÃO:	
DIVERSOS (PROJETO PADRÃO)		OUTUBRO 2025		20%	
PROPRIETÁRIO:		CMU:		13.937.1331/0001-41	
SECRETARIA DA SAÚDE DO ESTADO DA BAHIA (SESAB)		INSCRIÇÃO IMOBILIAR:		-	
SITUAÇÃO SEM ESCALA:		DECLARO QUE A APROVAÇÃO DO PROJETO NÃO IMPULSA NO RECONHECIMENTO PELA PREFEITURA DO DIREITO DE PROPRIEDADE DO TERRENO			
		PROPRIETÁRIO: SECRETARIA DA SAÚDE DO ESTADO DA BAHIA (SESAB) CMU/13.937.1331/0001-41 AUTOR DO PROJETO: ANA CAROLINA POTIER MENDES - CAU CAU/PR nº A351830 RESPONSÁVEL TÉCNICO PELA OBRA			
QUADRO DE ÁREAS:		ESPAÇO RESERVADO PARA APROVAÇÃO:			
ESPAÇO RESERVADO PARA APROVAÇÃO:		ESPAÇO RESERVADO PARA APROVAÇÃO:			